



H4INC

4" Architectural Incandescent Downlight

Architectural



- A. Min. Height = 7-1/2"
Max. Height = 8"
- B. Trim Aperture = 4-1/8"
- C. Cut-out = 4-1/2"
- D. Trim Outside Diameter = 5-1/2"
- E. Width = 16"
- F. Length = 12-1/2"

Catalog Number:	
Project Name:	Type:
Note:	MAXILUME ARCHITECTURAL LIGHTING

DESCRIPTION

1. SOCKET CUP - Die-cast aluminum with medium base pulse rated porcelain socket with nickel-plated screw shell, effectively provides heat dissipation and ventilation. Unitized optics guarantees proper trim to housing installation. Tool-less installation and adjustability from either outside the housing or inside the housing allows the fixture to accommodate three different lamp sizes.

2. MOUNTING BRACKET - Constructed from 16-gauge steel and is supplied with C-channels that are adjustable up to 28". Mounting brackets may be adjusted up to 2-3/4" vertically from inside the housing.

3. RETAINING SPRINGS - Precision tooled springs secure trim to mounting frame, for effortless and tool-less installation.

4. JUNCTION BOX - Is UL listed for through-branch circuit wiring and has four 1/2" KO's, one 3/4" KO and four Romex knockouts with pry-out slots and strain clamps. Junction Box are accessible from below, no tools required.

5. THERMAL PROTECTOR - Meets UL requirements. Standard thermal protection device guards against improper installation, over lamping and misuse of insulation material.

6. MOUNTING FRAME - Die-formed construction for maximum heat dissipation and rust protection.

OPTICS

7. REFLECTOR - Self-flanged .050" aluminum reflector with low iridescent finish. Reflector provides 45-degree lamp-to-reflector image cutoff.

8. GROOVE BAFFLE - Self-flanged one-piece aluminum with concentric rings.

9. LENS - Choice of either tempered clear, tempered prismatic or tempered frosted lens fastened with two torsion springs for easy re-lamping. UL listed for wet or damp location.

LISTING

UL listed for through-branch circuit wiring and damp locations. Wet location only with lens trims.



ITEM SELECTOR: (Please check the boxes below for the option desired)

TYPE	VOLTAGE	TRIM TYPE & DESCRIPTION		REFLECTOR	BAFFLE	GLASS
H4INC	☐ 120	☐ 4101 Reflector	☐ 4109 Deco Glass Ring	☐ CL	☐ WH	☐ Blue
	☐ 277	☐ 4102 Baffle with Reflector	☐ 4110 Double Ring Glass	☐ SCH **	☐ P	☐ Green
		☐ 4103 Reflector with Fresnel Glass Lens	☐ 4111 Triple Ring Glass	☐ SHZ *		☐ Red
		☐ 4104 Reflector with Prismatic Glass Lens	☐ 4121 Stardust Deco Ring GLass	☐ WT		☐ Frost
		☐ 4105 Baffle with Fresnel Glass Lens	☐ 4122 Euro Deco Ring GLass	☐ W		
		☐ 4106 Baffle with Prismatic Glass Lens	☐ 4123 Prism Deco Ring Glass	☐ MB		
		☐ 4107 Wall Wash	☐ 4124 Geo Deco Ring Glass			
		☐ 4108 Crossblade	☐ 4125 Central Etched Float Glass			
		☐ 4112 Baffle with Frosted Glass Lens	☐ 4126 Diffusing Screen Wall Wash			
		☐ 4113 Baffle with Tempered Clear Glass	☐ 4127 Geo Deco Ring Glass			
		☐ 4114 Reflector with Frosted Glass Lens				
		☐ 4115 Reflector with Tempered Clear Glass				

Specifications:

H4INC	-	-	-	-	-	-
	VOLTAGE	TRIM TYPE	REFLECTOR	BAFFLE	RING	GLASS

Sample of Catalog Number: H4INC-120-4101-CL-WH

REFLECTOR	BAFFLE	RING
CL Clear	WH White	WH Self-Flange White
SHZ Satin Haze (Low Iridescent)	P Black	Standard on all trims
WT Wheat		SCH** Self-Flange Chrome
MB Black		** Only available on XX01 CL
W White		SHZ* Satin Haze
		* Provided w/ satin haze ring only

*For custom baffle, reflector, trim ring, glass color and lens options, please consult factory.

4" Incandescent Optics



















Catalog Number:

Project Name:

Type:

Note:

MAXILUME
ARCHITECTURAL LIGHTING

4101-CL Reflector  REFLECTOR FINISH: CL, WT, MB, SHZ, W RING FINISH: WH, SCH, SHZ  A= 6-1/2" • B= 5-1/2"	4102-WH-CL Baffle with Reflector  BAFFLE FINISH: WH, P REFLECTOR FINISH: CL  A= 6-1/2" • B= 5-1/2" • C= 1"	4107-SHZ Wall Wash Reflector  REFLECTOR FINISH: CL, WT, MB, SHZ, W RING FINISH: WH, SCH, SHZ  A= 6-1/2" • B= 5-1/2"	4108-CL Crossblade Reflector  REFLECTOR FINISH: CL, WT, MB, SHZ RING FINISH: WH  A= 6-7/8" • B= 5-1/2"
4103-CL Reflector with Fresnel Glass Lens  FOR WET LOCATION REFLECTOR FINISH: CL, WT, MB, SHZ, W RING FINISH: WH  A= 6-7/8" • B= 5-1/2" • C= 1"	4104-CL Reflector with Prismatic Glass Lens  FOR WET LOCATION REFLECTOR FINISH: CL, WT, MB, SHZ, W RING FINISH: WH  A= 6-7/8" • B= 5-1/2" • C= 1"	4105-P Baffle with Fresnel Glass Lens  FOR WET LOCATION BAFFLE FINISH: WH, P RING FINISH: WH  A= 6-7/8" • B= 5-1/2" • C= 1"	4106-WH Baffle with Prismatic Glass Lens  FOR WET LOCATION BAFFLE FINISH: WH, P RING FINISH: WH  A= 6-7/8" • B= 5-1/2" • C= 1"
4114-CL Reflector with Frosted Glass Lens  FOR WET LOCATION REFLECTOR FINISH: CL, WT, MB, SHZ, W RING FINISH: WH, SCH, SHZ  A= 6-7/8" • B= 5-1/2" • C= 1"	4115-WT Reflector with Tempered Clear Glass  FOR WET LOCATION REFLECTOR FINISH: CL, WT, MB, SHZ, W RING FINISH: WH, SCH, SHZ  A= 6-7/8" • B= 5-1/2" • C= 1"	4112-WH Baffle with Frosted Glass Lens  FOR WET LOCATION BAFFLE FINISH: WH, P RING FINISH: WH  A= 6-7/8" • B= 5-1/2" • C= 1"	4113-WH Baffle with Tempered Clear Glass  FOR WET LOCATION BAFFLE FINISH: WH, P RING FINISH: WH  A= 6-7/8" • B= 5-1/2" • C= 1"
4109-CL Deco Glass Reflector  REFLECTOR FINISH: CL, WT, MB, SHZ, W RING FINISH: WH, SCH, SHZ GLASS FINISH: BLUE, GREEN, RED, FROST  A= 6-1/2" • B= 5-1/2" • C= 1-1/4"	4110-CL Double Ring Glass  REFLECTOR FINISH: CL, WT, MB, SHZ, W RING FINISH: WH, SCH, SHZ GLASS FINISH: BLUE, GREEN, RED, FROST  A= 6-1/2" • B= 5-1/2" • C= 1-1/2"	4111-CL Triple Ring Glass  REFLECTOR FINISH: CL, WT, MB, SHZ, W RING FINISH: WH, SCH, SHZ GLASS FINISH: BLUE, GREEN, RED, FROST  A= 6-1/2" • B= 5-1/2" • C= 2-1/4"	4121-CL Stardust Deco Ring Glass  REFLECTOR FINISH: CL, WT, MB, SHZ, W RING FINISH: WH, SCH, SHZ GLASS FINISH: BLUE, GREEN, RED, FROST  A= 6-1/2" • B= 5-1/2" • C= 1-1/4"

MAXILUME
ARCHITECTURAL LIGHTING

A division of
Elite Lighting

Submittal form is available @ www.maxilume.com
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions
subject to change without notice.

REV: MAXILUME-SPEC-03-23-2011

4" Incandescent Optics

Catalog Number:

Project Name:

Type:

Note:

MAXILUME
ARCHITECTURAL LIGHTING

4122-CL Euro Deco Ring Glass




REFLECTOR FINISH:

CL, WT, MB, SHZ, W


RING FINISH:

WH, SCH, SHZ



A= 6-1/2" • B= 5-1/2" • C= 1-1/4"

4123-CL Prism Deco Ring Glass




REFLECTOR FINISH:

CL, WT, MB, SHZ, W

RING FINISH:

WH, SCH, SHZ



A= 6-1/2" • B= 5-1/2" • C= 1-1/4"

4124-CL Geo Deco Ring Glass




REFLECTOR FINISH:

CL, WT, MB, SHZ, W

RING FINISH:

WH, SCH, SHZ



A= 6-1/2" • B= 5-1/2" • C= 1-1/4"

4125-CL Central Etched Float Glass




REFLECTOR FINISH:

CL, WT, MB, SHZ, W

RING FINISH:

WH, SCH, SHZ



A= 6-1/2" • B= 5-1/2" • C= 1-1/4"

4126-CL Diffusing Screen Wall Wash




REFLECTOR FINISH:

CL, WT, MB, SHZ, W


RING FINISH:

WH, SCH, SHZ



A= 6-1/2" • B= 5-1/2" • C= 1-1/4"

4127-CL Geo Deco Ring Glass




REFLECTOR FINISH:

CL, WT, MB, SHZ, W

RING FINISH:

WH, SCH, SHZ



A= 6-1/2" • B= 5-1/2" • C= 1-1/4"

REFLECTOR	BAFFLE	RING
CL Clear	WH White	WH Self-Flange White
SHZ Satin Haze (Low Iridescent)	P Black	Standard on all trims
WT Wheat	GLASS	SCH** Self-Flange Chrome
MB Black	Only available on XX09, XX10 and XX11 series.	** Only available on XX01 CL
W White		SHZ* Satin Haze
		* Provided w/ satin haze ring only

*For custom baffle, reflector, trim ring, glass color and lens options, please consult factory.