


Date:	Project Name:
Type:	Part Number:



ORION SERIES

LED UFO HIGHBAY



DESCRIPTION

Our new generation LED highbays are ideal for replacing HID High Bay fixtures, offering high performance and long life. Designed precision spherical and convex lens and offers low brightness, uniform illumination and high efficiency LED platform. Designed with easy installation of sensors at the face of the fixture.

FEATURES

- DLC Premium
- Excellent heat dissipation
- 0-10V Dimming
- Mounting options: hook/chain, pole pendent and surface mounting
- Operating temperature: 4°F to +122°F (-20°C to +50°C)
- Dual Voltage 120-347V
- Suitable for wet locations IP65 rated
- Efficacy 160lm/W
- Multi CCT & Wattage
- Built-in 8KVA Surge Protection
- Rated Lifetime L70(hrs): >70,000
- Includes 6' cord, ring bolt mounting accessory & safety hanging kit
- 7 year warranty

APPLICATIONS

-  Commercial Building
-  Industrial/Warehouse
-  Retail Facility



Date:	Project Name:
Type:	Part Number:

SPECIFICATION

ORDER#	MODEL#	WATTS	VOLTAGE (V)	LUMENS	DIMMABLE	CCT (K)
R34214	RENO-HBU-120W-DV-MCCT-G2-R1	60/80/100/120W	120-347V	9600/12,800/ 16,000/19,200 lm	0-10V	35/40/50K
R34215	RENO-HBU-160W-DV-MCCT-G2-R2	80/100/120/160W	120-347V	12,800/16,000/ 19,200/25,600 lm	0-10V	35/40/50K
R34216	RENO-HBU-250W-DV-MCCT-G2-R3	120/150/200/250W	120-347V	19,200/24,000/ 32,600/40,000 lm	0-10V	35/40/50K
R34217	RENO-HBU-320W-DV-MCCT-G2-R4	250/280/300/320W	120-347V	40,000/44,800/ 48,000/51,200 lm	0-10V	35/40/50K

ACCESSORIES

ORDER#	MODEL#	DESCRIPTION
R39601	RENO-HBU-Cover-1	PC Reflector for R1/R2 UFO HIGHBAY
R39602	RENO-HBU-Cover-2	PC Reflector bottom cover for R1/R2/R3 UFO HIGHBAY
R39603	RENO-HBU-Cover-3	PC Reflector lens for R3 UFO HIGHBAY
R83005	RENO-EM-40RM	Emergency LED Driver

SENSOR OPTIONS

ORDER#	MODEL#	DESCRIPTION
R71002	RENO-SENSOR-MW-H	Dimming Microwave Sensor


REMOTE OPTIONS

ORDER#	MODEL#	DESCRIPTION
R73002	RENO-REMOTE-H	Controller for Bi-Level Sensor


Date:	Project Name:
Type:	Part Number:

DIMENSIONS

R1 & R2




146.7mm
(5.8")




275mm (10.8")

R3




151.4mm
(6")




340mm (13.4")

R4



176.2mm
(7")



408mm (16.1")