

Date:	Project Name:
Type:	Part Number:



T8 TYPE C



FEATURES

- Direct plug-in & Safe Installation
- No UV or IR radiation
- High luminous efficiency
- Compatible with any Type C Driver and Reno's Dali Driver
- Operating temperature: -4°F to +113°F (-20°C to +45°C)
- Dimming based on Driver parameters
- Suitable for dry/damp locations
- Suitable for open fixtures
- CRI >83
- Rated Lifetime L70(hrs): >50,000
- 5 year warranty

APPLICATIONS

- Office Lighting
- Commercial Applications
- Retail Lighting



Date:	Project Name:
Type:	Part Number:

SPECIFICATION

ORDER#	MODEL#	WATTS	SIZE	VOLTAGE (V)	LUMENS	BASE TYPE	BEAM ANGLE	CCT (K)
R41205	WLL-LEDT8EX15/830	15W	4FT	BF	2200 lm	G13	320°	3000K
R41206	WLL-LEDT8EX15/835	15W	4FT	BF	2200 lm	G13	320°	3500K
R41207	WLL-LEDT8EX15/840	15W	4FT	BF	2200 lm	G13	320°	4000K
R41208	WLL-LEDT8EX15/850	15W	4FT	BF	2200 lm	G13	320°	5000K
R41209	WLL-LEDT8EX15/865	15W	4FT	BF	2200 lm	G13	320°	6500K


DALI DRIVER

ORDER#	MODEL#	DESCRIPTION
R83101	RENO-DA54B-DV-PS	LED Iso adjustable power Driver



RENO-DA54B-DV-PS

DIMENSIONS



Date:	Project Name:
Type:	Part Number:

DLC INFORMATION

ORDER#	MODEL#	APPLICATION	DLC	
			STANDARD	PREMIUM
R41205	WLL-LEDT8EX15/830	1-lamp External Driver (UL Type C) Lamps	S-QBM7DJ	
		2-lamp External Driver (UL Type C) Lamps	S-N65WHG	
		3-lamp External Driver (UL Type C) Lamps	S-6KGKCL	
		4-lamp External Driver (UL Type C) Lamps	S-WHFSCD	
R41206	WLL-LEDT8EX15/835	1-lamp External Driver (UL Type C) Lamps	S-46B259	
		2-lamp External Driver (UL Type C) Lamps	S-T3HDBD	
		3-lamp External Driver (UL Type C) Lamps	S-C916X6	
		4-lamp External Driver (UL Type C) Lamps	S-N33GWF	
R41207	WLL-LEDT8EX15/840	1-lamp External Driver (UL Type C) Lamps	S-92ZT1V	
		2-lamp External Driver (UL Type C) Lamps	S-D5GY2V	
		3-lamp External Driver (UL Type C) Lamps	S-WTGRRZ	
		4-lamp External Driver (UL Type C) Lamps	S-5F3VNN	
R41208	WLL-LEDT8EX15/850	1-lamp External Driver (UL Type C) Lamps	S-XQFQDN	
		2-lamp External Driver (UL Type C) Lamps	S-BGGM60	
		3-lamp External Driver (UL Type C) Lamps	S-QZ2WWN	
		4-lamp External Driver (UL Type C) Lamps	S-0CR11R	
R41209	WLL-LEDT8EX15/865	1-lamp External Driver (UL Type C) Lamps	S-WW8XKG	
		2-lamp External Driver (UL Type C) Lamps	S-XL2XRQ	
		3-lamp External Driver (UL Type C) Lamps	S-G5VJ9J	
		4-lamp External Driver (UL Type C) Lamps	S-ZSCX7G	